COUNTY COUNCIL OF PRINCE GEORGE'S COUNTY, MARYLAND 2024 Legislative Session

Bill No.	CB-085-2024						
~							
	ted by Chair Ivey and Council Member Watson						
Introduced by							
Date of Introduction							
BILL							
AN ACT concerning							
	Universal Design for Housing - Revisions						
For the purpose of addi	ing and revising certain definitions; providing for certain exemptions;						
requiring certain alarms	s; regarding the potential waiver of certain requirements by the Director						
of the Department of Po	ermitting, Inspections and Enforcement in certain instances; requiring a						
certain form for the app	plication for certain waiver exemptions; assessing a certain administrative						
fee in an amount per ea	ach waiver per each dwelling unit in a residential development project at						
the time of building per	rmit for the cost of the Department of Permitting, Inspections and						
Enforcement's processi	ing and review of the Universal Design for Housing waiver provision as						
prescribed in the Table	of Fees; imposing penalties for non-compliance of certain violations of						
the Universal Design fo	or Housing law; providing for a certain appeal from a certain waiver						
denial; and generally re	egarding Universal Design elements for certain newly constructed						
residential housing dwe	elling units.						
BY repealing and reena	acting with amendments:						
	SUBTITLE 4. BUILDING.						
	Sections 4-356, 4-363, 4-365, 4-365.01,						
	The Prince George's County Code						
	(2023 Edition).						
BY repealing and reena	acting with amendments:						
	SUBTITLE 2. ADMINISTRATION.						
	Section 2-117,						

1 2

1	The Prince George's County Code
2	(2023 Edition).
3	SECTION 1. BE IT ENACTED by the County Council of Prince George's County,
4	Maryland, that Sections 4-356, 4-363, 4-365, 4-365.01 of the Prince George's County Code be
5	and the same are hereby repealed and reenacted with the following amendments:
6	SUBTITLE 4. BUILDING.
7	DIVISION 6. UNIVERSAL DESIGN FOR HOUSING.
8	Sec. 4-356. Universal Design: Definitions.
9	(a) Accepted by the Maryland-National Capital Park and Planning Commission
10	means an application that is submitted and accepted by the Department of Permitting,
11	Inspections and Enforcement and distributed to all agencies for review.
12	(b)[(a)] [Accessible/] Accessibility [refers to the design of products, devices, services, or
13	environments to be appropriate for use by people with disabilities and provide the ability to
14	access and benefit from some system or entity.] means a site, building, facility, or portion thereof
15	that complies with the ADA Standards for Accessible Design ADA.gov, IRC requires
16	compliance with IBC chapter 11 when 4 or more dwellings. International Residential Code (IRC)
17	- CHAPTER 3 (iccsafe.org), and IBC – meet all of chapter 11, INTERNATIONAL BUILDING
18	CODE (IBC) ICC DIGITAL CODES (iccsafe.org).
19	(c) Accessible Range - For reach ranges, ADAAG 308.1, there is forward reach, side
20	reach. ADA Standards for Accessible Design ADA.gov
21	(d) Accessible Route - Accessible routes shall comply with Chapter 4. 2010 ADA
22	Standards for Accessible Design ADA.gov, and IBC – a continuous, unobstructed path that
23	complies with chapter 11.
24	(e) Approved by the Maryland-National Capital Park and Planning Commission
25	refers to accepted by the building official, per the IRC.
26	[(b)](f) Disability is a physical condition that limits a person's movements, senses, or
27	activities.
28	(g) Dwellings covered by the design requirements means that the public or common use
29	areas of the building can be approached, entered, and used by individuals with physical
30	<u>disabilities.</u>
31	(h) Knobs - handles require more grip strength to grab and turn the handle.

- (i) <u>Levers</u> handles can be more easily used regardless of the user's grip strength as levers can be pushed.
- (j) Site Impracticality means of evaluating individual buildings and sites with difficult terrain.
- $(\underline{k})[(c)]$ **Site plan**, for purposes of this Division, shall include a permit site plan, a detailed site plan, a specific design plan, and a special permit site plan.
- (1) Slip Resistant Floors mean accessible surfaces must be slip resistant to minimize hazards to people with disabilities, especially those who are ambulatory or semi-ambulatory or who use canes, crutches, and other walking aids. Flooring designed with material properties to help reduce slipperiness and increase traction.
- (m)[(d)] **Two-over-two's "Dwelling, two-family,"** is a building containing two dwelling units. For the purpose of this Division, two-over-two's are units stacked one above the other in a vertical configuration, sharing common vertical solid walls extending from the grade to the roof, or horizontal floors and ceilings. The building typologies commonly referred to as two-over-two dwellings or stacked dwelling units are examples of two-family dwellings.
- (n)[(e)] **Universal Design** is the design of buildings, products, or environments so that they can be accessed, understood, and used to the greatest extent possible by all people regardless of their age, size, ability, or disability.
- (o)[(f)] **Usability** [refers to the ease of access and/or uses within and around a dwelling unit.] means the public or common use areas of the building can be approached, entered, and used by individuals with physical disabilities.

Sec. 4-357. Universal Design: Application. Exemptions.

- (a) With the exception of exemptions and waivers granted, as set forth in this Division, this Division shall apply to all new single-family attached, single-family detached, two-family, two-over-two's, three-family, and multifamily residential dwelling units constructed in Prince George's County on and after January 1, 2026.
- (b) Dwelling units for which a building permit has been issued, or for which a site plan application has been approved pursuant to Subtitle 27 of the Prince George's County Code prior to January 1, 2026, as set forth in Section 4-357(a) above, shall be exempt from the provisions of this Division. This would include phased development plans for which the Department of Permitting, Inspections and Enforcement has approved [plans on file] <u>Plans On File</u> ([i.e.,]

building <u>permit</u> plans submitted by the developer <u>and approved by the Department</u>) for various types of homes in the development prior to January 1, 2026. <u>Any Detailed Site Plan approved before January 1, 2026, the Plans On File subject to the Detailed Site Plan do not have to be updated to comply with this Section.</u>

- (c) Application of the provisions of this Division shall not require existing dwelling units to be retrofitted.
- (d) Undergraduate and graduate student housing for public and private colleges and universities and private dormitories as defined in Subtitle 27 of the Prince George's County Code shall be exempt from this Division.
- (e) The provisions of this Division shall not apply to a single-family detached dwelling that is built or subcontracted by an individual owner that is used as the owner's personal residence.
- (f) Dwelling, townhouse as defined under Section 27-2500 of the Prince George's County Code shall be subject to Section 4-364 of this Division and shall otherwise be exempt from the provisions of this Division.
- (g) Two-over-two's "Dwelling, two-family" as defined under Section 4-356(d) of this Division, shall be subject to Section 4-364 of this Division and shall otherwise be exempt from the provisions of this Division.

Sec. 4-358. Universal Design: Exterior/Entrance.

- (a) There shall be a step-free route of travel to at least one step-free entrance to the dwelling unit. Entrance to the unit by way of a garage would qualify as an acceptable route. Multifamily dwelling units located within a building that are above the first floor of the building and are only accessible via stairway are exempt from this requirement.
- (b) The door of this entrance shall [have] <u>be</u> a minimum of 36-inch<u>es</u>-wide [clearance] and shall meet all applicable building requirements.
- (c) Exterior lead walks shall be structurally firm and slip resistant with a smooth uniform surface.
- (d) Lead walks shall be a minimum of 42-inch wide from the point of arrival to the primary or garage entrance and any slope should be consistent with all applicable requirements.

Sec. 4-359. Universal Design: Interior Accessible Route.

(a) At least one accessible route shall connect all spaces and elements that are a part of the

accessible entry level floor of the dwelling unit.

- (b) The kitchen shall be on the accessible level and on the accessible route.
- (c) Hallways on the accessible level shall have a 42-inch-wide minimum clearance width measured from wall to wall.
- (d) Doorways on the accessible route shall have a minimum <u>door</u> width of [clearance of] 36-inches and all doors shall contain levers for accessible access.
- (e) Interior thresholds with levels which exceed ¼-inch high, shall be beveled, with a slope not steeper than one-inch rise to a 2-inch run (1:2).
- (f) Accessible routes shall have flooring that allows resistance-free use of a wheelchair or similar mobility aid or device.
- (g) At least one separate room on the accessible entry level floor of the dwelling unit shall include architectural or design features that include but are not limited to a door that closes and a window to ensure [accessibility] egressibility.

Sec. 4-360. Universal Design: Bathroom.

- (a) Dwelling units shall have a bathroom with a sink, a shower, and a toilet on the entry level.
 - (b) Outlets shall be within accessible range of an adult sitting in a wheelchair.
 - (c) Slip resistant floors shall be used.
- (d) Continuous wall reinforcement at toilet and bathroom fixtures shall be included to enable easy retrofitting with grab bar(s). All wall reinforcement shall be capable of resisting shear and bending forces of a minimum of 250 pounds.
- (e) Controls on sinks, tubs, showers, and toilets shall be easily accessible or usable by persons with disabilities.
- (f) 2×6 lumber blocking centered 34" off of the finished floor to include the entire perimeter of the bathroom shall be used.

Sec. 4-361. Universal Design: Controls, Switches, Electrical Sockets and Plugs.

- (a) All rocker light controls and switches shall be placed no higher than 48-inches, on center, above the floor.
- (b) Where practical, all electrical receptacles shall be placed no lower than 15-inches, on center, above the floor.
 - (c) All thermostats shall be placed no higher than 54-inches, on center, above the floor.

Sec. 4-362. Universal Design: Kitchen.

- (a) There shall be 40-inch minimum clearances installed between all opposing base cabinets, counters, appliances, and walls within the kitchen work area.
- (b) There shall be a 60-inch minimum clearance of floor turning area in U-shaped kitchens or a 40-inch minimum clearance for pass through kitchens. For U-shaped kitchens, there shall be a 30-inch by 48-inch minimum clearance floor area for parallel approach centered on the sink and stove and other appliances or forward approach with knee clearance.
 - (c) Lever fixtures for sinks shall be installed.

Sec. 4-363. Universal Design: Smoke <u>Detectors</u> and [CO2] <u>Fire and Carbon Monoxide</u> [Detectors] <u>Alarms</u>.

Audible and visual smoke detectors, fire alarms, and [CO2] <u>carbon monoxide</u> alarms shall be installed [on each floor of the dwelling unit] <u>pursuant to the IBC</u>.

Sec. 4-364. Townhouses; Two-Over-Two's, Applicable Universal Design Requirements.

Notwithstanding the exemptions set forth in Section 4-357(f) and Section 4-357(g) of this Division, only the following universal design requirements in this Division shall be required for townhouses and two over two's:

- (a) Universal Design: Interior Hallways, Doorways, Stairs.
- (1) Hallways shall have a 42-inch-wide minimum clearance width measured from wall to wall.
- (2) Doorways shall have a minimum width [of clearance] of 36-inches and all doors shall contain levers for accessible access.
- (3) Interior stairs shall be able to accommodate the installation of a chair lift, with an electrical outlet within four feet of the stairs.
 - (b) Universal Design: Bathroom.
- (1) Continuous wall reinforcement at toilet and bathroom fixtures shall be included to enable easy retrofitting with grab bar(s). All wall reinforcement shall be capable of resisting shear and bending forces of a minimum of 250 pounds.
- (2) Controls on sinks, tubs, showers, and toilets shall be easily accessible or usable by persons with disabilities.
- (c) Universal Design: Smoke <u>Detectors</u> and <u>Fire and Carbon Monoxide Alarms</u>. [CO Detectors.] Audible and visual smoke detectors, fire alarms, and [CO] carbon monoxide alarms

shall be installed [on each floor of the dwelling unit] <u>pursuant to the IBC</u>.

Sec. 4-365. Waiver Provision.

- (a) The builder must use best efforts to meet the requirements of this Division meaning efforts to the maximum extent practicable were made to meet the requirement(s). A builder that indicates that they cannot satisfy the step-free route of travel to at least one step-free entrance to the dwelling unit requirement, pursuant to Section 4-358 of this Division, shall request a waiver.
- (b) A waiver may be granted by the Director of the Department of Permitting, Inspections and Enforcement ("Director") or the Director's designee upon a determination that topography or other unusual characteristics of the building or the site exist, or that there are practical difficulties associated with compliance with this Division. No waiver shall be granted unless approved by the Director or the Director's designee. An application shall be accompanied by a Waiver Checklist Form to be completed by an applicant, which is developed and revised from time to time, by the Department of Permitting, Inspections and Enforcement for the processing and review of a waiver request. The Department of Permitting, Inspections and Enforcement shall assess an administrative fee in an amount per each waiver per each dwelling unit in a residential development project for processing and reviewing an applicant's waiver request as prescribed in the Table of Fees. The determination of the waivers shall be made during the normal process of obtaining a building permit.
- (c) A waiver authorized by this Division shall not be granted by the Director or the Director's designee unless the builder seeking the waiver provides the following:
- (1) A detailed written statement of the reason(s) that the builder is unable to meet its obligations under this Division, which shall include:
 - (A) The specific issue(s) for which a waiver is being requested.
 - (B) Why the requirement(s) cannot be met.
- (C) Proof that the document listed in Section 4-365(c)(1) has been certified by a Maryland Registered Professional Engineer (PE) or by a Maryland Licensed Architect.
- (d) After review of the waiver request, the Director shall transmit a written decision approving or denying the request concurring or disagreeing with each listed specific issue as set forth in subsection (c).
- (e) The waiver may only be approved if the Director is satisfied that the waiver meets the criteria in subsection (b).

- (f) No residential development project can be granted waivers for more than fifty percent (50%) of the dwelling units.
- (g) Any waiver approved by the Director shall apply to the area that is subject to the approved building permit.
- (h) A residential development project with approved waivers shall have the provisions of universal design set forth in this Division waived for those dwelling units of the residential development project covered by the waivers. A residential development project without waivers shall incorporate the provisions of universal design set forth in this Division in the residential development project.
 - (i) The Director shall notify the County Council in an annual report of waivers of:
 - (1) the number of waiver applications received;
 - (2) the number of waiver applications denied;
 - (3) the number of waiver applications approved; and
- (4) the location by Council District of the number of waiver applications received and denied. The Director shall provide the County Council the Department of Permitting, Inspections and Enforcement's letter to an applicant explaining their decision regarding a waiver.

Sec. 4-365.01 Penalties.

- (a) The County shall impose a civil fine of \$5,000 or a criminal fine and penalty of \$5,000 and imprisonment not exceeding 6 months for an applicant's non-compliance for each violation in each dwelling unit with the Universal Design for Housing law contained in the Prince

 George's County Code for their residential development project.
- (b) It shall be a criminal act by an owner and/or authorized representative of a corporation or limited liability company, as defined in Section 4-203, Criminal Procedure Article, Annotated Code of Maryland, to violate compliance with the Universal Design for Housing law referenced in Section 4-365.01(a) of this Division. An owner and/or authorized representative of a corporation or limited liability company shall be separately charged and upon conviction may be subject to incarceration as authorized by this statute.

Sec. 4-366. Amendments, additions, and deletions.

Any provision of the IBC - International Building Code, IMC - International Mechanical Code, IECC - International Energy Conservation Code, IRC - International Residential Code, IEBC - International Existing Building Code and ISPSC - International Swimming Pool and Spa

Code adopted by this Subtitle, shall be changed, modified, amended, added, deleted or omitted as set out in this Division, and such change, modification, amendment, addition, deletion or omission shall be deemed to supersede the text of these codes in any case where the provisions of this Division are interpreted. Sec. 4-367. Conflict of Laws. For any conflict between the provisions set forth in this Division and the Federal Fair Housing Act, Federal Americans with Disabilities Act, the Code of Maryland Regulations, or the Maryland Accessibility Code, and any other applicable law, the Department of Permitting, Inspections and Enforcement shall apply the Maryland Accessibility Code, the Code of Maryland Regulations, Federal Americans with Disabilities Act, and the Federal Fair Housing Act and any other applicable law. SECTION 2. BE IT ENACTED by the County Council of Prince George's County, Maryland, that Sections 2-117 of the Prince George's County Code be and the same is hereby repealed and reenacted with the following amendments: SUBTITLE 2. ADMINISTRATION. DIVISION 4. BOARD OF APPEALS. Sec. 2-117. Board of Administrative Appeals. (a) There is created a Board of Administrative Appeals for the County, to hear and determine all administrative appeals allowed by ordinance or law. The jurisdiction of the Board of Administrative Appeals shall not extend to any provision of the County Code which does not expressly provide for such jurisdiction. (b) County law which specifically grants the Board authority to hear appeals includes (but need not be limited to) the following: SUBTITLE 3. ANIMALS. Division 2. Licenses and Standards (Animal Holding Facility Licenses). SUBTITLE 4. BUILDING. Division 2. Construction or Changes in Floodplain Area. Division 3. Grading, Drainage and Erosion Control. Division 4. Stormwater Management. Division 6. Universal Design for Housing.

1

2

3

4

5

6

7

8

9

10

11

12

13

14

15

16

17

18

19

20

21

22

23

24

25

26

27

28

29

30

31

SUBTITLE 5. BUSINESSES AND LICENSES.

- 1 | Division 2. Benefit Performances.
- 2 Division 5. Fortunetelling and Other Similar Practices.
- 3 Division 9A. Massage Establishments.
- 4 Division 12. Peddlers and Itinerant Vendors.
- 5 Division 14. Public Dances. (Dance Halls)
- 6 Division 15. Door-To-Door Solicitors.
- 7 Division 19. Secondhand Dealers.
- 8 Division 21. Towing Regulations.
- 9 Division 23. Model Studios.
- 10 Division 28. Special Food Service Facilities Mobile Units.
- 11 SUBTITLE 9. ELECTRICITY.
- 12 Subdivision 3. Burglar and Holdup Alarm Users License and Registration.
- 13 SUBTITLE 11. FIRE SAFETY.
- 14 Division 3. Permits, Certificates, and Licenses.
- 15 Division 4. Fire Prevention Code.
- 16 SUBTITLE 12. HEALTH
- 17 Division 10. Tanning Facilities.
- 18 SUBTITLE 13. HOUSING CODE. (Except as Provided for in Section 13-112.01)
- 19 SUBTITLE 14. MORALS AND CONDUCT.
- 20 | Division 2A. Going out of Business Sales.
- 21 SUBTITLE 22. SEWERS.
- 22 Division 2. Soil Percolation Testers, Contractors and Cleaners of Sewage Systems.
- 23 SUBTITLE 23. ROADS AND SIDEWALKS.
- 24 SUBTITLE 24A. TELEVISION AND RADIO EQUIPMENT REPAIR.
- 25 SUBTITLE 26A. MOTOR VEHICLE REPAIR.
- 26 * * * * * * *
- SECTION 3. BE IT FURTHER ENACTED that the provisions of this Act are hereby
 declared to be severable; and, in the event that any section, subsection, paragraph, subparagraph,
 sentence, clause, phrase, or word of this Act is declared invalid or unconstitutional by a court of
 competent jurisdiction, such invalidity or unconstitutionality shall not affect the remaining
- 31 words, phrases, clauses, sentences, subparagraphs, paragraphs, subsections, or sections of this

Act, since the same would have been	n enacted	without the	incorporat	tion in this A	Act of any	such
invalid or unconstitutional word, phr	ase, clau	se, sentence,	paragrapl	n, subparagr	aph, subse	ction,
or section.						
SECTION 4. BE IT FURTHE	ER ENA	CTED that th	nis Act sh	all take eff	ect forty-fi	ve (45
calendar days after it becomes law.						
Adopted this day of		, 2024.				
		COUNTY C GEORGE'S				
	BY:					
		Jolene Ivey				
		Chair				
ATTEST:						
Donna J. Brown Clerk of the Council	_	APPROVEI) :			
DATE:	BY:					
		Angela D. A County Exec		S		
KEY:	led to ex					
Underscoring indicates language add [Brackets] indicate language deleted Asterisks *** indicate intervening ex	from ex	_	ns that ren	nain unchan *	ged.	*