COUNTY COUNCIL OF PRINCE GEORGE'S COUNTY, MARYLAND 2018 Legislative Session

Bill No.	CB-96-2018
Chapter No.	
Proposed and	Presented by Council Member Toles
Introduced by	Council Member Toles
Co-Sponsors	
Date of Introd	luction September 25, 2018
	BILL
AN ACT conce	erning
	Residential Parking
For the purpose	e of increasing residential parking fines, including any residential parking permit
area fines and	generally relating to residential parking.
BY repealing a	and reenacting with amendments:
	SUBTITLE 26. VEHICLES AND TRAFFIC.
	Section 26-127.04 and 26-140,
	The Prince George's County Code
	(2015 Edition; 2017 Supplement).
SECTION	N 1. BE IT ENACTED by the County Council of Prince George's County,
Maryland, that	Sections 26-127.04 and 26-140 of the Prince George's County Code be and the
same are hereb	y repealed and reenacted with the following amendments:
	SUBTITLE 26. VEHICLES AND TRAFFIC.
	DIVISION 8. PARKING REGULATIONS.
Sec. 26-127.04	Stopping, standing, or parking prohibited in specified places.
(a) Ger	neral rule. The provisions of this Section apply except as necessary to avoid
conflict with or	ther traffic or in compliance with law or the directions of a police officer or traffic
control device.	
(b) Sto	pping, standing, or parking. No person shall stop, stand, or park a vehicle:
(1)	In front of a public driveway;
(2)	On a sidewalk;

1 2

(3) In an intersection; (4) On a crosswalk; (5) Between a safety zone and the adjacent curb or within thirty on the curb immediately opposite the ends of a safety zone, unless the Direct different length by signs or markings; (6) Alongside or opposite any highway excavation or obstruction obstruct traffic; (7) On any bridge or other elevated structure on a highway; (8) In a highway tunnel; (9) At any place where stopping is prohibited by an official sign (10) On any entrance or exit ramp of any highway with two or moving in the same direction. (c) Standing or parking. No person shall stand or park a vehicle: (1) Within three (3) feet of a private driveway without the constocupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7) entrance, if properly sign posted; (6) At any place where standing is prohibited by an official signal (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the direction other than the flow of traffic; (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the constitution of the side wheels more than twelve (12) inches for the direction other than the flow of traffic;	
(5) Between a safety zone and the adjacent curb or within thirty on the curb immediately opposite the ends of a safety zone, unless the Direct different length by signs or markings; (6) Alongside or opposite any highway excavation or obstruction obstruct traffic; (7) On any bridge or other elevated structure on a highway; (8) In a highway tunnel; (9) At any place where stopping is prohibited by an official sign (10) On any entrance or exit ramp of any highway with two or moving in the same direction. (c) Standing or parking. No person shall stand or park a vehicle: (1) Within three (3) feet of a private driveway without the construction occupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7) entrance, if properly sign posted; (6) At any place where standing is prohibited by an official signal (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the property of the passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the property of the property	
on the curb immediately opposite the ends of a safety zone, unless the Direct different length by signs or markings; (6) Alongside or opposite any highway excavation or obstruction obstruct traffic; (7) On any bridge or other elevated structure on a highway; (8) In a highway tunnel; (9) At any place where stopping is prohibited by an official sign (10) On any entrance or exit ramp of any highway with two or moving in the same direction. (c) Standing or parking. No person shall stand or park a vehicle: (1) Within three (3) feet of a private driveway without the constoccupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7) entrance, if properly sign posted; (6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the control of the road	
different length by signs or markings; (6) Alongside or opposite any highway excavation or obstruction obstruct traffic; (7) On any bridge or other elevated structure on a highway; (8) In a highway tunnel; (9) At any place where stopping is prohibited by an official sign (10) On any entrance or exit ramp of any highway with two or moving in the same direction. (c) Standing or parking. No person shall stand or park a vehicle: (1) Within three (3) feet of a private driveway without the construction occupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7 entrance, if properly sign posted; (6) At any place where standing is prohibited by an official signal (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the passing is prohibited; (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the control of the passing is provided and the passing is prohibited.	rty (30) feet of points
6 (6) Alongside or opposite any highway excavation or obstruction obstruct traffic; (7) On any bridge or other elevated structure on a highway; (8) In a highway tunnel; (9) At any place where stopping is prohibited by an official sign (10) On any entrance or exit ramp of any highway with two or moving in the same direction. (c) Standing or parking. No person shall stand or park a vehicle: (1) Within three (3) feet of a private driveway without the construction occupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7 entrance, if properly sign posted; (6) At any place where standing is prohibited by an official signal (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the curve of the curv	rector indicates a
obstruct traffic; (7) On any bridge or other elevated structure on a highway; (8) In a highway tunnel; (9) At any place where stopping is prohibited by an official sign (10) On any entrance or exit ramp of any highway with two or moving in the same direction. (c) Standing or parking. No person shall stand or park a vehicle: (1) Within three (3) feet of a private driveway without the constocupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7 entrance, if properly sign posted; (6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (13) inches for the control of the side wheels more than twelve (14) inches for the control of the side wheels more than twelve (14) inches for the control of the side wheels more than twelve (15) inches for the control of the side wheels more than twelve (15) inches for the control of the side wheels more than twelv	
(7) On any bridge or other elevated structure on a highway; (8) In a highway tunnel; (9) At any place where stopping is prohibited by an official sign (10) On any entrance or exit ramp of any highway with two or moving in the same direction. (c) Standing or parking. No person shall stand or park a vehicle: (1) Within three (3) feet of a private driveway without the constoccupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7 entrance, if properly sign posted; (6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the contraction of the side wheels more than twelve (12) inches for the direction other than the flow of traffic; (10) In a direction other than the flow of traffic;	ction if to do so would
(8) In a highway tunnel; (9) At any place where stopping is prohibited by an official sign (10) On any entrance or exit ramp of any highway with two or moving in the same direction. (c) Standing or parking. No person shall stand or park a vehicle: (1) Within three (3) feet of a private driveway without the constoccupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7 entrance, if properly sign posted; (6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the control of the passing is prohibited; (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the control of the passing is provent another vehicle already stopped near the control of the passing is provent another vehicle already stopped near the control of the passing is provent another vehicle already stopped near the control of the passing is provent another vehicle already stopped near the control of the passing is provent another vehicle already stopped near the control of the passing is provent another vehicle already stopped near the control of the passing is provent another vehicle already stopped near the control of the passing is provent another vehicle already stopped near the control of the passing is provent another vehicle already stopped near the control of the passing is provent another vehicle already stopped near the control of the passing is provent another vehicle already s	
(9) At any place where stopping is prohibited by an official sign (10) On any entrance or exit ramp of any highway with two or a moving in the same direction. (c) Standing or parking. No person shall stand or park a vehicle: (1) Within three (3) feet of a private driveway without the const occupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7) entrance, if properly sign posted; (6) At any place where standing is prohibited by an official signal (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the curve of the passing is prohibited; (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the curve of the passing is provided and the passing is prohibited already stopped near the curve of the passing is prohibited;	
11 (10) On any entrance or exit ramp of any highway with two or moving in the same direction. (c) Standing or parking. No person shall stand or park a vehicle: (1) Within three (3) feet of a private driveway without the const occupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7 entrance, if properly sign posted; (6) At any place where standing is prohibited by an official signal (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the control of the property of the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the control of the control of the side wheels more than twelve (12) inches for the control of th	
moving in the same direction. (c) Standing or parking. No person shall stand or park a vehicle: (1) Within three (3) feet of a private driveway without the const occupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7 entrance, if properly sign posted; (6) At any place where standing is prohibited by an official signal (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the contraction of the surface of the contraction of the surface of the road in which passing is prohibited;	ign; or
(c) Standing or parking. No person shall stand or park a vehicle: (1) Within three (3) feet of a private driveway without the construction occupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7 entrance, if properly sign posted; (6) At any place where standing is prohibited by an official signal (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the control of the co	or more lanes for traffic
(1) Within three (3) feet of a private driveway without the construction occupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7) entrance, if properly sign posted; (6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the construction of the stopped or stopped	
occupant of the premises; (2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7 entrance, if properly sign posted; (6) At any place where standing is prohibited by an official signal (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (13) inches for the control of the side wheels more than twelve (14) inches for the control of the side wheels more than twelve (15) inches for the control of the side wheels more than twelve (15) inches for the control of the side wheels more than twelve (15) inches for the control of the side wheels more than twelve (15) inches for the control of the side wheels more than twelve (15) inches for the control of the side wheels more than twelve (15) inches for the control of the side wheels more than twelve (15) inches for the control of the side wheels more than twelve (15) inches for the control of the side wheels more than twelve (15) inches for the control of the side wheels more than twelve (15) in	
(2) Within fifteen (15) feet of a fire hydrant; (3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7 entrance, if properly sign posted; (6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (12) inches for the control of the side wheels more than twelve (13) inches for the control of the side wheels more than twelve (14) inches for the control of the side wheels more than twelve (15) inches for the control of the side wheels more than twelve (16) inches for the control of the side wheels more than twelve (17) inches for the control of the side wheels more than twelve (18) inches for the control of the side wheels more than twelve (18) inches for the control of the side wheels more than twelve (18) inches for the control of the side wheels more than twelve (18) inches for the control of the side wheels more than twelve (18) inches for the control of the side wheels more than twelve (18) inches for the control of the side wheels more than twelve (18) inches for the control of the side wheels more than twelve (18) inches for the control of the side wheels more than twelve (18) inches for the control of the side wheels more than twelve (18) inches for the control of the side wheels more than twelve (18) inches for the control of the side wh	nsent of the owner or
(3) Within twenty (20) feet of a crosswalk at an intersection; (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7 entrance, if properly sign posted; (6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the contraction of the surface of the road (11) so as to prevent another vehicle already stopped near the contraction (12) inches for (13) so as to prevent another vehicle already stopped near the contraction (13) with the property of the side wheels more than twelve (12) inches for (13) so as to prevent another vehicle already stopped near the contraction (13) with the property of the side wheels more than twelve (13) inches for (14) so as to prevent another vehicle already stopped near the contraction (14) sides (15) with the property of the property of the property of the sides (15) with the property of the p	
18 (4) Within thirty (30) feet on the approach to any flashing signal sign, or traffic control signal located at the side of a roadway; 20 (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7) entrance, if properly sign posted; 22 (6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or 26 (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; 27 (9) With both of the side wheels more than twelve (12) inches for (10) In a direction other than the flow of traffic; 28 (11) So as to prevent another vehicle already stopped near the content of the side wheels already stopped near the content of the side wheels already stopped near the content of the side wheels already stopped near the content of the side wheels already stopped near the content of the side wheels already stopped near the content of the side wheels already stopped near the content of the side wheels already stopped near the content of the side wheels already stopped near the content of the side wheels already stopped near the content of the side wheels already stopped near the content of the side wheels already stopped near the content of the side wheels already stopped near the content of the side wheels already stopped near the content of the side wheels are side of the side of the side wheels are side of the side wheels are side of the side	
sign, or traffic control signal located at the side of a roadway; (5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7) entrance, if properly sign posted; (6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the content of the side wheels are side of the side wheels are side of the side	
(5) Within twenty (20) feet of the driveway entrance to any fire of a highway opposite the entrance to any fire station within seventy-five (7 entrance, if properly sign posted; (6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the content of the conten	gnal, stop sign, yield
of a highway opposite the entrance to any fire station within seventy-five (7) entrance, if properly sign posted; (6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the content of the state of the road (11).	
entrance, if properly sign posted; (6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the content of the side wheels already stopped near the side wheels already st	ire station or on the side
(6) At any place where standing is prohibited by an official sign (7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the content of the standard probability of the side wheels more than twelve (12) inches for (13).	(75) feet of the
(7) On the roadway side of any other vehicle that is stopped or curb of a highway; or (8) On a curve or hill where solid lines on the surface of the road in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the curve of the side wheels more than twelve (12) inches for the side wheels more than the flow of traffic; (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the curve of the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (13) inches for the side wheels more than twelve (14) inches for the side wheels more than twelve (15) inches for the side wheels more than twelve (16) inches for the side wheels more than twelve (17) inches for the side wheels more than twelve (18) inches for the side wheels more than twelve (19) inch	
curb of a highway; or (8) On a curve or hill where solid lines on the surface of the roa in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches f (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the c	ign;
26 (8) On a curve or hill where solid lines on the surface of the roa 27 in which passing is prohibited; 28 (9) With both of the side wheels more than twelve (12) inches f 29 (10) In a direction other than the flow of traffic; 30 (11) So as to prevent another vehicle already stopped near the c	or parked at the edge or
in which passing is prohibited; (9) With both of the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than the flow of traffic; (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the content of the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (12) inches for the side wheels more than twelve (13) inches for the side wheels more than the side wheels m	
28 (9) With both of the side wheels more than twelve (12) inches for (10) In a direction other than the flow of traffic; (11) So as to prevent another vehicle already stopped near the contraction of the side wheels more than twelve (12) inches for (12) inches for (13) i	roadway indicate a zone
29 (10) In a direction other than the flow of traffic; 30 (11) So as to prevent another vehicle already stopped near the c	
30 (11) So as to prevent another vehicle already stopped near the c	es from the curb;
31 legally parked, from moving away;	e curb or otherwise

- (a) No person shall park any vehicle or use any parking permit in a manner contrary to the regulations and provisions established by the County Executive pursuant to this Division.
- (b) Any person issued a citation for a violation of this Section shall be subject to a fine of [Fifty Dollars (\$50.00)] One Hundred Dollars (\$100.00) for each violation.
- (c) It shall be the duty of the Police Officers of the County, the Revenue Authority, or any other County employees specifically designated by the County Executive, to enforce the provisions of this Division. The Police Department is authorized to impound and remove any vehicle parked in violation of the regulations and provisions established pursuant to this Division without prior notice pursuant to Division 18 of this Subtitle.
- (d) The Revenue Authority may designate persons to enforce the provisions of this Division for property owned or operated by the Revenue Authority or other such public parking facilities or streets and highways as may be designated by Executive Order and approved by the County Council for enforcement by the Revenue Authority.

SECTION 2. BE IT FURTHER ENACTED that the provisions of this Act are hereby declared to be severable; and, in the event that any section, subsection, paragraph, subparagraph, sentence, clause, phrase, or word of this Act is declared invalid or unconstitutional by a court of competent jurisdiction, such invalidity or unconstitutionality shall not affect the remaining words, phrases, clauses, sentences, subparagraphs, paragraphs, subsections, or sections of this Act, since the same would have been enacted without the incorporation in this Act of any such invalid or unconstitutional word, phrase, clause, sentence, paragraph, subparagraph, subsection, or section.

SECTION 3. BE IT FURTHER ENACTED that this Act shall take effect forty-five (45) calendar days after it becomes law.

Adopted this 23rd day of October, 2018.

COUNTY COUNCIL OF PRINCE GEORGE'S COUNTY, MARYLAND BY: _______
Dannielle M. Glaros Chair ATTEST: Redis C. Floyd Clerk of the Council APPROVED: DATE: ______ BY: _____ Rushern L. Baker, III County Executive KEY: Underscoring indicates language added to existing law. [Brackets] indicate language deleted from existing law. Asterisks *** indicate intervening existing Code provisions that remain unchanged.

* * * * * * * *