

## **Prince George's County Council**

## Sitting as the District Council

## Zoning Agenda Item Summary

CSP-18007	Coun	cilmanic District: 9	
7/27/2020	Zone(	Zone(s): M-X-T / M-I-O	
Hope Village Center			
VMD-Upper Marlboro, LLC			
Located in the southeast corner of the intersection of MD 223 (Woodyard Road) and Marlboro Pike (37.59 Acres; M-X-T / M-I-O Zones).			
Requesting approval of a Conceptual Site Plan (CSP) for a mixed-use development with 38 single-family, attached residential units and 181,950 square feet of commercial and institutional uses, including a hotel, gas station, assisted living facility, and church.			
DECISIONS/RECOMMENDATION:		LEGAL DEADLINES:	
nical Staff: Approval with Conditions		Appeal date: 8/3/2020	
rd: Approval with Conditions		<b>Review date:</b> 9/2/2020	
Zoning Hearing Examiner:		Action date:	
ality: on:		Comments:	
Staff: Jeremy Hurlbutt			
	Date:	Action:	
nical Staff	01/21/2020	approval with conditions	
ing Board	02/27/2020	approval with conditions	
trict Council <i>Council deferred this</i>	03/09/2020 item to March 23	deferred , <i>2020</i> .	
trict Council	07/27/2020		
	7/27/2020 Hope Village Center VMD-Upper Marlbord Located in the southead Marlboro Pike (37.59 Requesting approval of with 38 single-family, commercial and institut facility, and church. <b>CCOMMENDATION:</b> Approval with Con Approval with Con <b>Examiner:</b> Jeremy Hurlbutt	7/27/2020 Zone(   Hope Village Center VMD-Upper Marlboro, LLC   Located in the southeast corner of the ir Marlboro Pike (37.59 Acres; M-X-T / M   Requesting approval of a Conceptual Si with 38 single-family, attached resident commercial and institutional uses, incluidacility, and church. Since (2000)   CCOMMENDATION: Approval with Conditions Approval with Conditions   Approval with Conditions Examiner: Since (2000)   Jeremy Hurlbutt Date: Since (2000)   incal Staff 01/21/2020 03/09/2020   ing Board 02/27/2020 Single farred this item to March 23, Single for the singlef	

**Document(s):** CSP-18007 Planning Board Resolution 2020-19, CSP-18007\_PORL, CSP-18007 Technical Staff Report